

APR 27 2007

Application No. 10/659,063

Filed: September 10, 2003

TC Art Unit: 1623

Confirmation No.: 3827

STATUS OF THE CLAIMS

1. (Previously Presented) A method for treating an inflammatory condition, said method comprising the steps of:

providing a patient having an inflammatory condition; and
administering to said patient a therapeutically effective amount of a composition comprising cyclic adenosine diphosphate ribose (cADPR), or a functional analogue or derivative agonist thereof, in a form that is accessible to a receptor molecule, conveyed in a pharmaceutically acceptable carrier vehicle, wherein said composition reduces the degree of said inflammatory condition in said patient.

2. (Original) The method of claim 1, wherein said inflammatory condition is selected from the group consisting of intestinal epithelial inflammation, endotoxemia, sepsis, hemorrhagic shock and pancreatitis.

3. (Original) The method of claim 2, wherein said intestinal epithelial inflammation is Crohn's disease or ulcerative colitis.

4. (Original) The method of claim 1, wherein said composition is administered to said patient enterally.

Application No. 10/659,063
Filed: September 10, 2003
TC Art Unit: 1623
Confirmation No.: 3827

5. (Original) The method of claim 4, wherein said composition is administered using an enteric-coated formulation.

6. (Original) The method of claim 1, wherein said composition is administered to said patient systemically.

7. (Cancelled)

8. (Previously Presented) The method of claim 1, wherein said functional analogue or derivative agonist of cyclic adenosine diphosphate ribose (cADPR) is selected from the group consisting of phosphorothioate analogues, N3'→P5' phosphoroamidate analogues and analogues with conformationally locked sugar rings.

9. (Withdrawn) A method for testing the effectiveness of a candidate compound for prophylaxis or treatment of an inflammatory condition, said method comprising the steps of:

providing said candidate compound; and

testing said candidate compound for an ability to inhibit nitric oxide (NO·) production in an ex vivo inflammation model.

Application No. 10/659,063

Filed: September 10, 2003

TC Art Unit: 1623

Confirmation No.: 3827

10. (Withdrawn) A method for testing the effectiveness of a candidate compound for prophylaxis or treatment of an inflammatory condition, said method comprising the steps of:

providing said candidate compound; and

testing said candidate compound for an ability to inhibit hyperpermeability in an ex vivo inflammation model.

11. (Withdrawn) An article of manufacture comprising packaging material and a therapeutic composition contained within said packaging material, wherein the therapeutic composition is therapeutically effective for prophylaxis or treatment of an inflammatory condition, and wherein the packaging material comprises a label that indicates that the therapeutic composition can be used for prophylaxis or treatment of an inflammatory condition, and

wherein said therapeutic composition comprises an NAD-related compound, in a form that is accessible to a receptor molecule, conveyed in a pharmaceutically acceptable carrier vehicle.

12. (Withdrawn) The method of claim 11, wherein said NAD-related compound is nicotinamide adenine dinucleotide (NAD⁺) or cyclic adenosine diphosphate ribose (cADPR).

Application No. 10/659,063
Filed: September 10, 2003
TC Art Unit: 1623
Confirmation No.: 3827

13. (Withdrawn) The method of claim 11, wherein said NAD-related compound is selected from the group consisting of phosphorothioate analogues, N3'→P5' phosphoroamidate analogues and analogues with conformationally locked sugar rings.